

PROTECTION
FOR THE UNEXPECTED



Flood Barriers | Floodproof Windows | Flood Vents

Table of Contents

WHAT ARE YOU LOOKING FOR?

SERVICES & RESOURCES

Flood Design Team	4
Project Financing	6
Product Installation	7
Professional Education	8
Flood Insurance Review	9

FLOOD VENTS

Flood Vents	10
Multi-Frames	12
Accessories	13

DEPLOYABLE FLOOD SYSTEMS

Custom Flood Panel	14
Flood Logs	16
Flood Planks	18
Expandable Flood Barrier	20

PASSIVE FLOOD SYSTEMS

Horizontal Lifting Automatic Barrier	22
Vertical Lifting Automatic Barrier	24
Floodproof Windows	26
Glass Flood Walls	28

POINT-OF-USE FLOOD SYSTEMS


Industrial Flood Gates and Doors	30
Watertight Hatches	32
Roller Curtain Flood Doors	34
Commercial Flood Door	36

PERIMETER FLOOD SYSTEMS

Modular Perimeter Flood Barrier	38
Standard Water-Filled Interlocking Barrier	40
Water-Filled Tube Flood Barrier	42
Roll-Out Structural Flood Wall	44
Semi Water-Filled Interlocking Flood Barrier	46
Trapezoidal Sand-Filled Flood Barrier - Long	48
Trapezoidal Sand-Filled Flood Barrier - Short	50

FLOOD PUMPS

Dri-Prime Pumps	52
Submersible Pumps	53
Wet-Prime Pumps	53



Floodproofing Design & Turnkey Supply Services

ABOUT FLOODPROOFING.COM

We provide flood protection products, education, & support that follow all of the latest regulations.



We sell wet & dry solutions designed to meet the needs of residential & commercial projects.



From pre-bid planning & pricing, to expert product selection & supplying authorized installers, we ensure jobs are done right.



We help you navigate various floodplain codes & regulations to ensure design compliance.

1 (800) 507 0865 | info@floodproofing.com

The Flood Design Team


STREAMLINING THE PROJECT PROCESS

Our in-house team of Certified Floodplain Managers and Engineers have decades of experience and can help you navigate the complex codes and standards associated with building in a floodplain.

We'll analyze your unique project, taking the time to review your budget and find the perfect solution from our portfolio of floodproofing products. Our design analysis contains custom 3-part specifications, product recommendations, take-offs and schedules giving you everything you need to know to move forward with your project. We help you improve timelines by alleviating the complicated issues that arise, avoiding the bottleneck caused by adding flood protection to your design later in the game. This entire service is provided complimentary so you can focus on other aspects of your design, knowing a knowledgeable, experienced team handled your floodproofing needs from start to finish.



FLOOD
DESIGN TEAM



WHAT'S INCLUDED IN YOUR Design Analysis



The Best Solutions
For Your Project



Federal, State &
Local Code Help



Custom 3-Part
Specifications



Transparent Timelines
& Deliverables

EASILY COMPARE

Features, Storage & Deployment

Send us your project plans, & we'll provide a free, in-depth analysis with guidance on the best floodproofing solutions for your commercial or residential project.



SAVE TIME

So you can focus
on other tasks

STAY ON BUDGET

No surprises or budget
concerns

PEACE OF MIND

Knowing the job will
meet building codes

SMOOTH PROCESS

No design hold ups
or bottlenecks

Send Your Plans

floodproofing.com/plans or plans@floodproofing.com



Fast, Flexible Financing

MANAGABLE PROJECT PAYMENT PLANS

**We make flood protection more accessible
by offering simple payment plans for your
flood protection projects.**

We've partnered with Ascentium Capital & MoreHouse Finance, making flood protection more accessible. Our new financing options make funding commercial & residential flood mitigation products easier with a convenient process.



**Fill Out The
Application**



**Receive A
Quick Decision**



**Review & Sign
Documents**

COMMERCIAL

Financing up to \$2 million
Quick application for loans up to \$250,000
\$0 down & low introductory payment options
Fast decisions & broad terms

RESIDENTIAL

No prepayment penalty
Unsecured loans
\$1,000 - \$65,000
FDIC Backed

Request A Quote

financing@floodproofing.com

Product Installation

A TURNKEY SOLUTION FOR YOUR PROJECT

We'll provide an experienced team of experts who can handle the installation of your flood protection products.

Our partners are experienced & trained on all wet and dry floodproofing products in our catalog. They understand the complex codes & standards associated with properly installing flood mitigation solutions and will ensure your flood protection system works as intended..

In-depth knowledge of passive systems, flood barriers & flood windows



Save Time & Costs
Focus on other aspects



Guidance of
codes & standards



Reduced Risk
with proper installations

WORK WITH US install@floodproofing.com or floodproofing.com/install



PREFERRED
EDUCATION
PROVIDER

CFM ASFPM
EDUCATION
PROVIDER

Professional Education

LUNCH & LEARNS OR WEBINARS

We have multiple floodplain design courses that can be taken online or given in person.

We've spent many years studying the science of flood mitigation and the effects of flood waters on a poorly protected structures. We instruct and educate Architects, Builders, Certified Floodplain Managers, Code Officials, Engineers, Insurance Agents, Realtors, and Surveyors.

SCHEDULE A LUNCH & LEARN OR WEBINAR ceu@floodproofing.com

Topics We Cover

- Floods and potential hazards to buildings
- FEMA, NFIP, ASCE, ICC, and Building Codes
- Differences between wet & dry floodproofing
- Differences in engineered & non-engineered openings
- Active vs. passive solutions & impact of ownership
- The role of building compliance in flood insurance rates

Complementary Flood Insurance Review

RECEIVE THE LOWEST POSSIBLE PREMIUM

Ensure you're taking advantage of the possible credits and discounts available for your structure.

After our floodproofing assessment helps ensure structures properly protected, our in-house insurance agency, **Risk Reduction Plus Group** (RRPG) can also provide a flood insurance quote, with many options to choose from. With 20+ years of flood risk and damage prevention experience, they can make sure the lowest possible flood insurance premium is achieved.




Proper Venting Discount

Flood risk can be reduced by installing flood vents that prevent foundation damage which can lead to flood insurance discounts.



Correct Rating

There are many nuances to flood insurance. We can make sure projects or properties are rated correctly & receiving the lowest premium possible.



Dry Floodproofing Credit

It can be difficult to get approved for dry floodproofing credit. Our specialists can help ensure maximum flood insurance savings with the proper credits.

FLOOD INSURANCE QUESTIONS?
insurance@floodproofing.com or 1 (800) 507 0865





Engineered Flood Vents

SMART VENT PRODUCTS, INC.



Flood vents protect enclosures by allowing automatic bi-directional water flow that equalizes hydrostatic pressure.



Insulated 1540-520 in Stainless Steel



Dual-Function Stacker 1540-511 in Powder Coat White



Insulated Wood Wall 1540-570 in Stainless Steel

FEATURES MADE IN THE USA



Stainless Steel
316L Marine Grade



Bi-Directional
Water & Debris
Flow In And Out



Secure
Internal Floats
Keep Door Latched



Custom Sizes

Dimensions to Fit
Your Needs



Support
In-House Engineering
& Design Assistance



Certified
Flood Protection

VENTILATION

Dual-Function

STEEL GRAY WHITE BLACK WHEAT CUSTOM



Standard Dual-Function

1540-510 & 1540-511

Automatic ventilation. A bi-metal coil opens & closes the louver as the temperature changes. Stacker models are ideal for large square footages with less openings.



Garage Door Model

1540-524 & 1540-574

Designed for garage doors or heavily trafficked entry doors. Available in insulated or dual-function models.

INSULATION

Insulated

STEEL GRAY WHITE



Standard Insulated

1540-520 & 1540-521

Ideal for areas requiring ventilation protection. Stacker models are ideal for large square footages with less openings.



Insulated Wood Wall

1540-570

Designed to fit between studs spaced 16" on center. Pre-drilled slots in the four corners of the vent flange make for easy installation.

Applications

Crawlspaces | Full Height Enclosures | Parking Garages | Storage Facilities | Foyers


MODEL	FLOOD COVERAGE	AIR VENTILATION	DIMENSIONS	ROUGH OPENING
1540-510	200 sq ft	51 sq in	16"W x 8"H x 3"D	16 ¹ / ₄ " x 8 ¹ / ₄ "
1540-511	400 sq ft	102 sq in	16"W x 16"H x 3"D	16 ¹ / ₄ " x 16 ³ / ₈ "

MODEL	FLOOD COVERAGE	R-VALUE	DIMENSIONS	ROUGH OPENING
1540-520	200 sq ft	8.34	16"W x 8"H x 3"D	16 ¹ / ₄ " x 8 ¹ / ₄ "
1540-521	400 sq ft	8.34	16"W x 16"H x 3"D	16 ¹ / ₄ " x 16 ³ / ₈ "
1540-570	200 sq ft	8.34	14.5"W x 8.5"H x 3"D	14 ¹ / ₂ " x 8 ³ / ₄ "
1540-524	200 sq ft	8.34	16"W x 8"H x 3"D	16 ¹ / ₄ " x 8 ¹ / ₄ "
1540-574	200 sq ft	8.34	14.5"W x 8.5"H x 3"D	14 ¹ / ₂ " x 8 ³ / ₄ "



Smart Vent Multi-Frames

SMART VENT PRODUCTS, INC.



Customizable one-piece frame with fewer openings for commercial applications or large square footages.



6 x 2 Insulated #1540-150602 Custom Gray

1 Flood Door

STEEL GRAY WHITE BLACK WHEAT CUSTOM

Dual Function 1540-0039

Insulated 1540-0239



Custom Configurations Up To A 6 x 3 Multi-frame

2 Frame

Standard Multi-frame

1/8 inch thick angle iron for an extremely sturdy, element-resistant design.

"E" Multi-frame


The same superior design using a lighter steel material to provide a more economical solution.

3 Configuration

MODEL	DESIGN	COVERAGE	"E"				
1540-150102	1W x 2H	400 sq ft	✓	1540-150401	4W x 1H	800 sq ft	x
1540-150103	1W x 3H	600 sq ft	✓	1540-150402	4W x 2H	1600 sq ft	x
1540-150201	2W x 1H	400 sq ft	✓	1540-150403	4W x 3H	2400 sq ft	x
1540-150202	2W x 2H	800 sq ft	✓	1540-150501	5W x 1H	1000 sq ft	x
1540-150203	2W x 3H	1200 sq ft	✓	1540-150502	5W x 2H	2000 sq ft	x
1540-150301	3W x 1H	600 sq ft	✓	1540-150503	5W x 3H	3000 sq ft	x
1540-150302	3W x 2H	1200 sq ft	✓	1540-150601	6W x 1H	1200 sq ft	x
1540-150303	3W x 3H	1800 sq ft	✓	1540-150602	6W x 2H	2400 sq ft	x
				1540-150603	6W x 3H	3600 sq ft	x

Smart Vent Accessories

SMART VENT PRODUCTS, INC.



Accessories & products that pair with Smart Vents to upgrade your energy efficiency, finish a look, meet codes or for installation.



Sealing Kit

Energy Saving



Finishes off interior spaces & lowers energy bills, effectively meeting 2018 Energy Codes.

SINGLE 1540-526

STACKER 1540-526-2




HurriBond™

2-in-1 Adhesive

A fast curing, multi-purpose, waterproof sealant & adhesive used for installing Smart Vents.

WHITE HB-3100

GRAY HB-3200



Trim & Sleeve Kit

Standard & Wood Wall

Provides a clean, finished look on interior walls. Adjustable.

7" - 12.5" 1540-531-12

10" - 15.5" 1540-531-15

STANDARD
WOOD WALL

4" wall depth 1540-573

9" wall depth 1540-573-9



Fire Damper

Standard & Wood Wall

UL Certified. For use in fire-rated walls. 2 or 3-hr options available.

STANDARD 1540-530

WOOD WALL 1540-537



Custom Flood Panel

FRA FLOOD PANEL



A custom-engineered barrier that protects any sized opening against intrusion & flood water damage.

The Flood Risk America (FRA) Flood Panel uses sustainable flood-seal technology to protect any opening against flood water & is highly resistant to heavy impact forces. Each panel is custom-engineered to meet individual installation requirements & job-specific demands. It is easy to install, deploy, & remove.



Storefront Protection Door & Window Barrier



Applications

Storefronts | Windows/Doors | Vehicle Access Points | Drain Covers



Storefront Application



Single Door Barrier



Extended Run Barrier With Corner

Technical Specifications

MATERIAL	High Density Foam Core, Fiberglass Skin, Structural Coating
SEAL	Gasket Compression
HARDWARE	Stainless Steel Anchors
WEIGHT	4 lbs PSF
DESIGN	Meets FEMA & ASCE Requirements
WARRANTY	Lifetime (Panel Only)



Custom Color Application



Door And Window Application

HAND TIGHTENING TOOLLESS DEPLOYMENT




Close Up of Easy-Turn Knob

FEATURES MADE IN THE USA



Durable

Strong Composite Materials



Custom Sizes

Dimensions to Fit Your Needs



Lightweight

Less Than 4 Pounds Per Ft²



Quick Deployment

Panels Are Easy To Transport & Install



Versatile

Gasket Conforms To Uneven Surfaces



Florida Product Approved #FL41703




Scientific research & testing ensures products conform to highest standards of safety & property loss prevention.



Flood Logs

MULTIPLE OPTIONS



A customizable, stackable aluminum flood barrier that is a time-tested solution for flood prone locations.

The Flood Log system is designed to be resistant to impact forces & withstand high-velocity water loads. Ideal for uses where higher protection is needed. Meets ASCE & FEMA requirements.




Applications

Storefronts | Select Windows | Doors | Vehicle Access Points



Emergency egress stairs



Offset Bracket Gives Wall Clearance



Flood log storage

FEATURES MADE IN THE USA



User Friendly

Color Coded For Guided Assembly



Durable

Aluminum Support Posts & Beams To Anchor Systems




Versatile

Engineered to Accommodate Slopes of 20°



Custom Sizes

Dimensions to Fit Your Needs



Storage Solutions


Custom Rack Configurations Available

STACKABLE "C" POSTS

Flood Logs are strengthened by stackable "C" shaped posts & hollow aluminum beams fitted with watertight rubber seals, ensuring maximum stability & flood protection. Each support post can easily be removed, minimizing aesthetic impact to any building.



MOUNTING OPTIONS JAM | OFFSET | FLUSH



DIMENSIONS

Customizable

MATERIAL

Aluminum Log Panels, Compression Gaskets

IMPACT RESISTANT

Yes



Flood Planks

INVISIBLE FLOOD CONTROL WALL™



Removable aluminum flood wall custom-engineered for larger applications and higher protection.

The IFCW system is composed of gasketed aluminum planks and steel posts which are quickly mountable and watertight. It is erected when flooding is imminent and then easily disassembled and stored, leaving an unobstructed view of the area with no protrusions.



IFCW Perimeter System

Applications

Airports | Museums | Riverfronts | Schools | Urban Buildings | Manufacturing Facilities




One World Trade Center



Corner Post Installation

The IFCW has extruded aluminum planks that simply stack between the steel supports with a gasket on the “dry” side. During a flood event, the planks fill with water, adding strength and load capacity to the whole system while helping to protect against impact loads.

The IFCW is manufactured and sourced in the United States and has been analyzed and accepted for use by the United States Army Corps of Engineers, and is in use on hundreds of installations across the USA and Canada.



Riverfront Application




Angle Braces

Due to its stackable design, the IFCW can be deployed in multi-height increments depending on the situation. If the property is expecting minimal flooding or facing time constraints, a lower-height wall could be installed for that instance.



Holman Field, St. Paul Downtown Airport



Deployment In Progress

FEATURES MADE IN THE USA



Higher Protection

Intermediate Support Design. Heights of 20'+ Possible




Durable

Support Posts Anchored To Reinforced Foundation




Discreet

Base Plates Minimally Visible. No Protrusions



Customization

Custom Corner Angles. Jogs, Step-Ups, Multi-Heights & Lengths



Storage Solutions

Minimal Storage Space. Optional Pallet & Containers Available.

MATERIAL

Galvanized Steel Posts, Aluminum Planks

PLANK WEIGHT

5.5lb/ft

PLANK LENGTH

Typical 20'

SYSTEM HEIGHT

Up to 20' or More




Expandable Flood Barrier

DAM EASY®



A ready-to-use flood barrier for doors & entryways that can easily be installed in under 5 minutes.



There's no need for damaging hardware, adhesives or permanent fixtures when using Dam Easy—simply place between an entryway, extend the sides to fit the opening, and inflate the built-in tube. This simple solution replaces the time, energy, and mess associated with sandbags and can be installed in under 5 minutes.



Applications

Residential & Commercial Doorways | Garages | Patio Doors

Ready to Use. Easy to Install. Simple to Store.



HEIGHT	PROTECTION HEIGHT	WIDTH	DEPTH	WEIGHT
29.5"	28.34"	30.7"-43.4"	2.5"	45 lbs

Needs 36" of clearance above for pump mechanism



Extension Poles Available. Some Installation Required.

A core-drilled hole and anchor rod is required for initial installation and allows for the quick placement & removal of the extension pole. A cap covers the opening when not in use.

1 POLE
2 BARRIERS
64.5"-89.725"

2 POLES
3 BARRIERS
98.35"-136.15"

3 POLES
4 BARRIERS
132.175"-182.575"

4 POLES
5 BARRIERS
166"-229"

FEATURES MADE IN IRELAND



Convenient

Deploys in Under 5 Minutes



Easy To Install

No Permanent Fixtures




Standardized

Fits Most Regular Openings




Connectable

Extension Poles for Wider Openings



Compact

Minimal Storage Needed






Horizontal Lifting Automatic Barrier


FLOODBREAK®




A low-maintenance, self-clearing automatic flood barrier that remains hidden until activated by floodwater.

With over 2,500 flood barriers installed worldwide, the FloodBreak® flood control system is a passive flood barrier that closes automatically to prevent water entry, activated by rising floodwater. With no reliance on people, power, springs, or mechanical assistance to lift the gate, failure points are eliminated. The systems are low maintenance, self-clearing and don't require any lubrication so they will operate when needed 24/7.





The concept is simple—let the water work against itself to automatically float the buoyant aluminum beam and activate the self-sealing rubber gasket. The higher the water rises, the higher the flood barrier is lifted until it reaches full deployment and is held closed by the hydrostatic pressure. When the water recedes, the flood barrier returns to its recessed location in front of the entryway, allowing vehicle and pedestrian passage to resume.



Technical Specifications

SIZE	No height or width restrictions
SEALS	Ethylene Propylene Diene Monomer
MATERIAL	Marine Grade Aluminum, Stainless Steel Fittings
ANCHOR	Poured Concrete Slab

Applications

Buildings & Garages | Levee & Waterfronts | Flood Walls | Multi-Family | Residential



Loudres Hospital, Binghamton, NY



UTMB Primary Care Back Entrance, Galveston, TX

FEATURES MADE IN THE USA



Always Ready

Does Not Need
Manual Activation



Discreet

Remains Underground
At Resting Position



No Storage Needed

Remains Hidden Until
Activated by Floodwater



No Electric

Operates Without Human
Intervention/Electricity




Durable

Long Service Life With
Minimal Maintenance




Vertical Lifting Automatic Barrier

SELF CLOSING FLOOD BARRIER™



A vertically-lifted barrier that utilizes flood water to lift itself into position to seal off an opening during flooding.



Resting Position

In non-flood conditions, all operational parts are concealed in an underground basin.

Deployed Position

As floodwater rises to a predetermined level, an inlet pipe fills the basin, making the flood wall float up.

Fully Deployed

When the basin is full, an angled support block locks the flood wall into position making it watertight.

HIGH WATER PROTECTION

This flood defense system uses approaching floodwater to raise its barrier, using the problem to create the solution, protecting from heavy rainfall, gales, or rapidly melting snow.



Always Ready

Does Not Need
Manual Activation



Discreet

Remains Underground
At Resting Position

Applications

Storefronts | Windows/Doors | Access Doors | Entire Perimeter



No Storage Needed

Remains Hidden
Underground Until
Triggered




No Electric

Operates Without
Human Intervention
Or Electricity

Technical Specifications

SIZE	Custom
PANELS	PUR foam core & fiberglass outer layer
SEALS	Long-lasting, durable gaskets
BASIN	Poured Concrete or Steel
ACTIVATION	Pipe Connection, Inspection Pit, Inspection Pit with Pump, Water Runnel, or Water Runnel with Quick Fill System.



User Control

Optional Manual
Deployment





Floodproof Window Systems

FENEX



Impact-rated, floodproof windows that provide clarity, beauty, + passive protection at all times.



Floodproof windows are passive systems that are always ready to protect from rising flood water + debris impact. They are hurricane impact-rated and tested to withstand more than 10' of water + large missile collision. No storage, installation, or deployment needed before a flood event. Multiple framing options available including customizable shaped systems.

FEATURES

MADE IN THE USA



Historical Flood Window Application



Framing Options

Factory-Glazed Configurations



Custom Configurations

Any Shape. Tint & Print Also Available

Applications

Oversized Storefront Window Solutions | Commercial & Residential Window Systems

Tested To Exceed ANSI/FM 2510 Standards For Impact Up To 1000 lbs



Impact Test on 4' x 6' Flood Window



Load Test of 9' of water on 20' x 11' Flood Window



Energy Efficient

Insulated Assembly Options



Tested

Water & Debris Impact



FL Product Approval

Oversized, Skylights & Fire Windows



Scientific research & testing ensures products conform to highest standards of safety & property loss prevention.

Other Fenex Products



Oversized & Curved Windows



Walkable Skylights



Fire & Ballistic Windows

Glass Flood Walls

FENEX



A customizable, glass flood wall that provides passive protection along coastal environments without obstructing the view



Glass Flood Barriers are passive systems with a unique design and multiple options. It's always ready to protect from rising flood water and debris impact and requires no installation before a storm. This barrier can be used for hospitality, government, or commercial buildings near any water or flood source.

FEATURES

MADE IN THE USA



No Storage Needed

Always Remains
In Place




Always Ready

No Need to Deploy
Before Flooding



Enhances The View

Doesn't interfere with
walkway or view




Custom Configurations

Oversized panels
and print options


Applications

Bulkhead & Seawalls | Coastal Properties | Hospitality




These flood wall systems can be installed with a variety of frame options and can even be designed for use as a handrail. The system also has a tamper-proof cap that protects the glass and inner layer from being exposed to the elements.

Tested to Meet ANSI/FM2510 Standards for Water Loading



4x8' Sections Holding 4' of Water



Filling Custom-Built Test Rig



Tested

Water + Debris
Impact

Industrial Flood Gates & Doors



WALZ & KRENZER

Heavily-engineered, industrial-level doors, and gates design for the most complex applications.

From the simplest flood barrier to the most complex high pressure closure, our engineers design your product based on your requirements. Whether you need advanced FEA analysis or 3-D modeling, you can count on a fully engineered, tested product that can fully meet almost any specifications.



Flood Gates Protecting NYC Queens Midtown & Hugh L. Carey Tunnels From Flooding



South Ferry Terminal, NYC Inflatable Gasket Door

Watertight Doors

Custom watertight doors can be supplied with power operation and most can be specially designed for blast, ballistic, shock, vibration, seismic, chemical, tornado, and high pressure requirements. Single & double panel doors are available.



SLIDING
Compact

Horizontal or
Vertical



INFLATABLE GASKET
Flush, High Pressure


Button-activated
inflation



COMPRESSION GASKET
Raised, High Pressure

Quick Acting or
Individually Dogged

FEATURES MADE IN THE USA



Customizable


Engineered To Fit Any
Size & Application



User Control

Manual, Full Automation,
or Powered

Utilized in Projects For the US Army Corps of Engineers, US Navy, and State Transit Departments



Tested

Meets FEMA, USACE, FM/
ANSI 2510 Requirements



Material Options

Aluminum, Mild A36 Steel
or 304 & 316 Stainless Steel

Hinged, Sliding, or Removable Flood Gates

Whether requirements call for permanent, removable, or automatically deploying flood barriers, these custom designed closures provide reliable protection. Closures can be designed to meet FEMA, FM/ANSI 2510, USACE requirements. Project portfolio varies from Museums, government projects, NASA to Nuclear Plants.



SIDE-HINGED
Permanent & Ready

Lipseal, Inflatable or
Compression Gasket



SLIDING
Permanent & Compact

Horizontal or
Vertical



REMOVABLE
Can Be Stored

Lipseal, Inflatable or
Compression Gasket



Finish Options

Various Paints, No 4
Polish, Or Mill Finish

Watertight Hatches

WALZ & KRENZER



An industrial watertight hatch, custom-engineered for flood protection, featuring manual or powered operation options.

Custom hatches can fit any size and pressure requirement. Additional load factors such as wheel loads and point loads from material handling equipment can also be incorporated. Flush and raised configurations are available and are operable from one or both sides.




Applications

Subfloor Access | Mechanical Areas | Water Treatment Facilities | Pumping Stations


FEATURES

MADE IN THE USA



Any Size, Configuration, or Design Pressure

Hatches are sealed utilizing individual dogs, quick-acting handwheels, or drop bolts. Larger hatches may require mechanical opening assistance like gas springs, coil springs, and counter-weights, although power operation is also an option.



Custom Mounting

Flush or
Raised Options



Versatile

Multiple Sealing
Options Available



Engineered

No Size or Load
Factor Limits



Material Options

Aluminum and
Various Steel Finishes



Activation

Power Operation
Available

Material Specifications

PANEL & FRAME	Mild steel, stainless steel, aluminum, various high-strength steels
GASKET MATERIAL	Neoprene, Viton, EPDM, silicone, Nitrile, and others
MECHANISM	Above via T-wrench, below via dogs, quick-acting handwheel or panic bar.



Roller Curtain Flood Door

WALZ & KRENZER



An automatic roller curtain door that is activated by oncoming water and secures the opening

The AutoSeal Watertight Roller Curtain Door is the latest technology in flood protection. During normal non-flooding operation, it functions as an everyday curtain door. Once water is sensed by the controls at a pre-determined level, it automatically deploys and secures the opening. Additionally, it can also be easily operated with the push of a button on the side or with a remote control.



WIDTH

23' max

HEIGHT

25' max

DESIGN PRESSURE

1' below top of opening

Applications

Warehouses | Entrance Doors | Storefronts | Garage Doors | Parking Lots



The First Automatic Watertight Roller Curtain Door in the US

Like most standard garage doors, it has an infrared start/stop sensor to avoid closing when an object is in the way. A battery back-up is included for operation during power outages.



The door is constructed from aluminum roller curtain door slats with a stainless steel frame and a flush bottom sill. For installation, there are multiple mounting options, like inside the face of the building, outside the face of the building or inside the jambs.

Material Specifications

PANEL	Custom extruded aluminum shape
FRAME	Stainless steel
CHASSIS	ASTM A-36 steel
GASKET	EPDM foam
FINISH	Extruded aluminum mill finish



FEATURES MADE IN TAIWAN



Functional

Operates for every day use



Safety Features

Infrared sensor detects movement



Versatile

Multiple mounting options possible



Passive System

Automatically closes upon detecting water



Activation

Motorized by button or remote control


Commercial Flood Doors

MULTIPLE OPTIONS



A pedestrian door that operates as a flood barrier when activated & is perfect for critical infrastructure.

The Commercial Flood Door is internally reinforced and has a mechanical sealing mechanism housed within the frame, giving a tight seal when properly closed. This pedestrian flood door is an active flood barrier when engaged, and are ideal for critical infrastructure locations such as mechanical and electrical rooms.



Applications

Egress Doors | Mechanical & Electrical Rooms | Critical Infrastructure

FEATURES

MADE IN THE USA



Dual-Function

Operates As A
Standard Door



Color Options

Powder Coat
Paint Available



Customizable

Glass Port, Panic Bars,
& Special Locks




Tested

Meets IBC, ASCE,
and FEMA criteria



Finish Options

Choose Steel Or
Stainless Steel



Meets ADA Requirements


The flood door can be manufactured in either aluminum or steel, depending on your needs. Because it looks and operates like any other door, the aesthetic impact is minimal. Choose from many customization options for your door, including standard panic bars, specialized locking hardware, small glass view ports, and more.



Glass Port, Panic
Bars, & Special
Locks Available

Door Dog Removable Sealing Latch

Before a flood, each door can be activated in seconds by engaging door dogs on the top and bottom. This creates a tight seal, quickly initiating floodproofing capabilities.





Modular Perimeter Flood Barrier

GEODESIGN BARRIERS



A high-strength, modular barrier system designed to accommodate various obstacles and terrains.

With reinforced high strength steel trusses, diamond plated aluminum panels or sheets, and a waterproof liner, the Geodesign flood barrier is incredibly durable, withstanding debris impact and flooding. This engineered flood barrier provides full height protection that allows for modular setup, compact storage, and quick deployment.



**Place, Unfold,
& Lock Steel
Supports**



**Connect Steel
Supports Using
Link Bars**



**Mount Aluminum
Panels onto
Supports**



**Line with
waterproof
membrane**

Applications

Flood Protection | Critical Facilities | Cofferdams | Energy Substations | Containment



With over 500,000 linear feet in 24 different countries protected, this FM approved barrier is a reliable, proven solution. Barriers can be set up on any terrain by one person without the use of any tools or machines. Equipped with collapsible supports, this system is delivered in stackable steel crates, facilitating ideal storage and transportation.




Storage options for each barrier component.

FEATURES MADE IN SWEDEN



Easy to Deploy

Modular with
no fill material



Adaptable

Design conforms to
all surfaces



Robust Material

High strength steel and
corrosion resistant aluminum

Heavy Duty




PROTECTION HEIGHT	SECTION WIDTH	BARRIER FOOTPRINT	FOOTPRINT & MAX LINER
48 in	4'	5' 11"	14'
60 in	4'	7' 3"	14'
72 in	4'	8' 10"	22'
84 in	4'	10' 2"	22'
96 in	4'	10' 2"	30'



Easily Store + Transport

Collapsible components
with stackable crates



Liner Options

High and Low
Density Polyethylene

Industrial



PROTECTION HEIGHT	SECTION WIDTH	BARRIER FOOTPRINT	FOOTPRINT & MAX LINER
24 in	32"	1' 10"	6'
32 in	39"	2' 11"	10'
40 in	39"	3' 9"	10'
48 in	39"	4' 9"	13'



Scientific research & testing
ensures products conform to
highest standards of safety &
property loss prevention.

Water-Filled Interlocking Barrier

MUSCLE WALL®



A rapidly-deployed, portable flood barrier engineered to withstand rushing or standing water.



Muscle Wall can replace thousands of sandbags all while being quick, easy, reusable, reliable, & customizable. It is engineered to withstand the immense force of rushing or standing water due to its patented toe design.



Extended Run of Muscle Wall




Muscle Wall Protecting Battery Park in New York City

STRONGER THAN STRONG

Water pressure forces the toe downward anchoring the wall to the ground while containing & diverting water. Unlike sandbags, it is rapidly deployed, portable, & easily disassembled. Once sections & liner are in place, fill with water.

Sizing Options



Muscle Wall Protecting Battery Park in New York City (Using Wrap Liner Option)

Applications

Flood Control | Containment | Stormwater Management | Road Crossings

FEATURES MADE IN THE USA



Standard Sizes

Ready to Ship & Deploys With Ease



Interlocking

Tongue & Groove
Allows 15° Max Bend



Flexibility

Corner Provides
90° Turns



Stackable

Easily Stacked
for Storage



Liner Options

Versatile Wraps For
Multiple Surfaces



Scientific research & testing
ensures products conform to
highest standards of safety &
property loss prevention.


Water-Filled Tube Barrier

TIGER DAM™



A long, flexible tube that can quickly be joined end-to-end, stacked to various heights & filled with water.

This system forms a barrier to protect buildings, properties and any other structures prior to a flood. Each tube can be filled in minutes with a 2-inch pump, a fire hydrant or a garden hose. The tubes are capable of being stacked up to a maximum of 32 feet high and linked together seamlessly for miles. They can be virtually any length and take any shape.



Applications

Flood Protection | Critical Facilities | Commercial & Residential | Road & River Crossings | Containment






The dams are filled individually and secured with straps and anchors if needed. After the flood waters have receded and the dam is no longer required, the system can be drained, cleaned and packaged for storage. The Tiger Dam™ flood protection system has been thoroughly tested at The University of British Columbia, and is Platinum Certified by the U.S. Army Corp. of Engineers, the Association of State Floodplain Managers, and FM Approvals.



STANDARD HEIGHTS	LENGTH	MATERIAL
18", 24", 30", 36" & 42" H	50' Sections	Heavy duty double-coated nylon/PVC

CONNECT UNLIMITED SECTIONS TOGETHER



FEATURES MADE IN THE USA




Deploy Quickly

Rapid deployment when filled using fire hydrant



Flexible

Can be turned at any angle to fit any shape



Connectable

Can be connected to fit any length



Stackable

Buildable System. Engineered to 32 ft



Efficient

Reusable & Cost Effective



Scientific research & testing ensures products conform to highest standards of safety & property loss prevention.



Roll-Out Structural Flood Wall

DILUVIUM™



A lightweight, reusable, easy to set up flood barrier that rapidly deploys & retracts.


The Diluvium™ Flood Barrier is ideal for any sized commercial property or home. Weighing less than a pound per square foot makes it easy to transport, while heavy-duty waterproof zippers facilitate quick, simple setup.



Applications

Flood Control | Containment | Stormwater Management | Road Crossings





EASY ASSEMBLY


Diluvium™ can be set up with just one person if necessary, but adding a few more people can speed up the process. Attach multiple pieces together as needed with double waterproof zipper connection.

REUSABLE

Diluvium™ can be set up anywhere - having corners and being held upright by fiberglass batons and stainless steel cables. During a flood, water presses down, sealing the skirt. After the flood recedes, it can easily be packed up and stored until needed again.

EASY TRANSPORTATION & STORAGE

Light-weight & portable. Can be shipped directly to you. Minimal storage space required, meaning it can be kept on site and ready for deployment.



FEATURES MADE IN NORWAY



Customizable

Zip Together
Unlimited Sections



Corner Sections

Any Angles
Available



Easily Stored

All Components
Roll Up



User Friendly

Easy To Assemble
& Disassemble



Efficient

Reusable &
Portable

DIMENSIONS	WEIGHT	MATERIAL	SEAM CONSTRUCTION
Customizable	.75 lb per sq ft.	Engineered Industrial Fabric With Fiberglass Support & Stainless Steel Reinforcements	No stitching



Semi-Filled Interlocking Barrier

FLOODSTOP



A long-run flood barrier with corner & wall connections & alternating, self-filling pods that speed up deployment.



The FloodStop Barrier is a unique, rapidly deploying flood barrier system. Pods are easily connected together using interlocking keys, ultimately creating a flexible barrier of any length. When assembled, some pods are pre-filled with the remainder filling with floodwater as levels rise.



Applications

Flood Control | Stormwater Management | Road Crossings | Containment



This system can be easily assembled by a single person. Before a flood, simply place all pods in the desired position, insert the connection keys, and fill one out of every third unit with water. Some configurations require every other unit to be pre-filled. The remaining empty pods will fill and drain as floodwaters come and recede. After a flood event, pods can be disconnected and stored for later use, unlike sandbags.

Each System Uses a Combination of Self-Fill & Pre-Fill Units



25"

48"L x 25.5"H x 25.5"D

Built in Connector Key with reduced deployment time

PROTECTION UP TO 20"



36"

40"L x 36"H x 30"D

Taller model with separate Connector Key

PROTECTION UP TO 25"



FEATURES MADE IN THE USA



Standard Sizes

Ready To Go & Deploy With Ease



Stable

Self-balancing. No Bolting Required.



Semi Self-Filling

Alternating Barriers Fill & Empty Themselves



Linerless

Barriers Have Gaskets & Don't Require A Liner



Versatile

Allows For Bends, Corners, & Wall Connections

Wall Connections & Cornering

Barrier to Barrier and Wall Options Available





Long Sand-Filled Flood Barrier

PERMASHIELD™



A trapezoidal, multi-cell barrier system, designed for long-run applications that can be stacked to any height.

When filled with sand, Permashield's patented trapezoid shape redirects lateral water pressure downward, holding back floodwaters and resisting rolling and sliding. Can be easily stacked to almost any height and sections can be strapped together with a 3000lb tensile strength nylon strap to build one continuous flood wall.

Permashield has been rigorously tested by the USACE and is a proven stand-alone flood fighting barrier. The heavy duty, woven polypropylene coated fabric is highly resistant to damage from debris impacts and is resistant to contamination and seepage into the bag contents. If damage occurs, the design isolates damage to the impacted cell.

ARMY CORPS OF ENGINEERS
TESTED & RECOMMENDED

Applications

Flood Protection | Cofferd Dam | Levee Strengthening | Dune Stabilization



4' High Waterfront Protection, Peoria, IL



Duke Energy, 8' Protection Height


Mounting Hangers & Installation Sled with Hopper Speed Up Deployment



PermaShield cells are loaded into sled using mounting hangers and expand out to open as the cells are filled using attached hopper.

Sizing Options

SOLD IN 50' LONG SECTIONS



FEATURES MADE IN THE USA



Trapezoidal

Shape Engineered to Hold Back Water



Stable

Doesn't Move Under High Pressure



Stackable

Bags Layered To Reach Any Height



Custom Length

Can Be Connected For Long Runs

HEIGHTS

2', 3', 4', 6' Stack to Any Height

LENGTH

Connectable 50' Runs

MATERIAL

Woven Polypropylene-Coated Fabric




Impermeable


Watertight From Seepage & Contamination



Roadside Levee Strengthening, KY



Harlow's Casino, MS. 7.5' of water for 31 days.





Short Sand-Filled Flood Barrier

VERSASHIELD™



A fillable, multi-cell barrier system, designed for short-run applications that can be stacked to any height.

This rapidly deployed and cost-effective sandbag alternative can be filled, used, cleaned out and then reused again to continue to protect homes and business from flood water. The trapezoidal shape resists sliding and rotational forces, using gravity and system weight to self-stabilize. The standard-sized systems can be stacked and connected for additional coverage and a variety of applications.





Connected 2' x 4' VersaShield Filled With Sand



Strap & D-Rings to connect VersaShield

HEIGHT	LENGTH	WIDTH	FILLED WEIGHT
1'	3'	27"	500 lbs
2'	4'	36"	2,800 lbs



Applications

Flood Protection | Cofferdam | Sentiment Capture | Secondary Containment



FEATURES MADE IN THE USA




Stable

Doesn't Move Under High Pressure



Stackable

Bags Layered To Reach Any Height



Custom Length

Can Be Connected For Long Runs




Impermeable

Watertight From Seepage & Contamination




Transportable

Integrated Handles to Easily Relocate



Flood Pumps

GODWIN



Dry floodproofing designs require heavy duty pumps that remove water to prevent it from reaching critical spaces.

FM APPROVED

FP Dri-Prime



FP Dri-Prime

FP100, FP150, FP225, FP300

The Godwin FP Dri-Prime Series pump is specifically designed to prevent flood water from reaching critical building systems & interior spaces. It's tough, smart, and versatile, making it one of the most effective flood mitigation tools.



FM Approved

Rigorously tested through simulation & component.



Flow Range

500 GPM to over 5000 GPM



Diesel

Diesel drive options



Many Sizes

Multiple Suction Branch Sizes (4"-12")



Convenient

Run Dry Capability



Sound Levels

Open set or sound attenuated enclosure



Remote Operation

Option to control from any device

Applications

Flooding | Construction | Industrial Dewatering | Basements

Submersible



Submersible Pumps

GSP05 1/2hp | GSP10 1hp

Compact & portable with a lightweight yet durable design equipped with dry-running capabilities.



Submersible Trash Pumps

GST05 1/2hp | GST10 1hp

Compact & portable with a lightweight yet durable design equipped with dry-running capabilities. Able to pass solids up to 1 inch.

Wet-Prime



Dewatering Pumps

2" GWP-50HX | 3" GWP-80HX | 4" GWP-100HX

Durable design for reduced wear and maintenance. Semi-trash handling capability.




Trash Pumps

2" GTP-50HX | 3" GTP-80HX | 4" GTP-100HX

Designed to handle solids. Durable design for reduced wear and easy maintenance for fast debris removal.

Technical Specifications

MODEL	HP	MAX FLOW	MAX SOLID	RPM	VOLTAGE
GST05	0.5 kw	0.5 gpm	1"	3600	115, 230
GST10	1.0 kw	1.0 gpm	1"	3600	115, 230
GTP - 50HX	5.5 kw	185 gpm	1"	N/A	x
GTP - 80HX	8.0 kw	354 gpm	1.5"	N/A	x



Applications

Flooding | Construction | Trash-Laden Water | Septic Tanks | Manholes



Get In Touch



1 (800) 507 0865 | Floodproofing.com